

1. Ahonen T, Saltevo J, Laakso M, Kautiainen H, Kumpusalo E, Vanhala M. Gender differences relating to metabolic syndrome and proinflammation in Finnish subjects with elevated blood pressure. *Mediators Inflamm* 2009; (Epub ahead of print).
2. Ainola M, Li TF, Mandelin J, Hukkanen M, Choi SJ, Salo J, et al. Involvement of a disintegrin and a metalloproteinase 8 (ADAM8) in osteoclastogenesis and pathological bone destruction. *Ann Rheum Dis* 2009;68(3):427-34.
3. Armiger RS, Armand M, Tallroth K, Lepisto J, Mears SC. Three-dimensional mechanical evaluation of joint contact pressure in 12 periacetabular osteotomy patients with 10-year follow-up. *Acta Orthop* 2009;80(2):155-61.
4. Asteljoki S, Kesänen J, Pykalamäki H, Korpela SV, Montin L. Documentation of Pain Management with TT- 2000+ in May 2008 Viewed from Clinical Nursing Practice. *Stud Health Technol Inform* 2009;146:503-5.
5. Beklen A, Sorsa T, Konttinen YT. Toll-like receptors 2 and 5 in human gingival epithelial cells co-operate with T-cell cytokine interleukin-17. *Oral Microbiol Immunol* 2009;24(1):38-42.
6. Biau DJ, Katsahian S, Kartus J, Harilainen A, Feller JA, Sajovic M, et al. Patellar tendon versus hamstring tendon autografts for reconstructing the anterior cruciate ligament: a meta-analysis based on individual patient data. *Am J Sports Med* 2009;37(12):2470-8.
7. Caetano-Lopes J, Henriques R, Canhao H, Duarte J, Amaral PM, Vale M, et al. Chronic arthritis directly induces quantitative and qualitative bone disturbances leading to compromised biomechanical properties. *Clin Exp Rheumatol* 2009;27(3):475-82.
8. Dabagh M, Jalali P, Konttinen YT. The study of wall deformation and flow distribution with transmural pressure by three-dimensional model of thoracic aorta wall. *Med Eng Phys* 2009;31(7):816-824.
9. Dieppe P, Judge A, Williams S, Ikwueke I, Guenther KP, Floeren M, et al. Variations in the pre-operative status of patients coming to primary hip replacement for osteoarthritis in European orthopaedic centres. *BMC Musculoskelet Disord* 2009;10:19.
10. Eskelinen A, Remes V, Mäkelä K, Paavolainen P. Long-term results of hip and knee arthroplasties - a review of population-based results obtained from the Finnish Arthroplasty Registry. *Japanese J Joint Dis* 2009;28:171-181.
11. Eskelinen A, Remes V, Ylinen P, Helenius I, Tallroth K, Paavilainen T. Cementless total hip arthroplasty in patients with severely dysplastic hips and a previous Schanz osteotomy of the femur. *Acta Orthop* 2009;80(3):263-269.
12. Evangelou E, Chapman K, Meulenbelt I, Karassa F, Loughlin J, Carr A, et al. Large-scale analysis of association between GDF5 and FRZB variants and osteoarthritis of the hip, knee, and hand. *Arthritis Rheum* 2009;60(6):1710-1721.

13. Forsblad d'Elia H, Bjurman C, Rehnberg E, Kvist G, Konttinen YT. Interleukin 6 and its soluble receptor in a central role at the neuroimmunoendocrine interface in Sjogren syndrome: an explanatory interventional study. *Ann Rheum Dis* 2009;68(2):285-6.
14. Forsblad d'Elia H, Carlsten H, Labrie F, Konttinen YT, Ohlsson C. Low serum levels of sex-steroids are associated with disease characteristics in primary Sjogren's syndrome; supplementation with dehydroepiandrosterone restores the concentrations. *J Clin Endocrinol Metab* 2009;94(6):2044-2051.
15. Goodman SB, Gomez Barrena E, Takagi M, Konttinen YT. Biocompatibility of total joint replacements: A review. *J Biomed Mater Res A* 2009;90(2):603-18.
16. Haanpaa M. Controlled release oxycodone - an evidence-based treatment for pain in acute herpes zoster. *Pain* 2009;142(3):175-6.
17. Haanpaa ML, Backonja MM, Bennett MI, Bouhassira D, Cruccu G, Hansson PT, et al. Assessment of neuropathic pain in primary care. *Am J Med* 2009;122(10 Suppl):S13-21.
18. Harilainen A, Sandelin J. A prospective comparison of 3 hamstring ACL fixation devices--Rigidfix, BioScrew, and Intrafix--randomized into 4 groups with 2 years of follow-up. *Am J Sports Med* 2009;37(4):699-706.
19. Hirvonen J, Tuominen U, Seitsalo S, Lehto M, Paavolainen P, Hietaniemi K, et al. The Effect of Waiting Time on Health-Related Quality of Life, Pain, and Physical Function in Patients Awaiting Primary Total Hip Replacement: A Randomized Controlled Trial. *Value Health* 2009;12(6):942-947.
20. Holm S, Mackiewicz Z, Holm AK, Konttinen YT, Kouri VP, Indahl A, et al. Pro-inflammatory, Pleiotropic, and Anti-inflammatory TNF-alfa, IL-6, and IL-10 in Experimental Porcine Intervertebral Disk Degeneration. *Vet Pathol* 2009;46:1292-1300.
21. Illes A, Varoczy L, Papp G, Wilson P, Alex P, Johnsson R, et al. Aspects of -Cell Non-Hodgkin's lymphoma development: A transition from immune-reactivity to malignancy. *Scand J Immunol* 2009;69:387-400.
22. Jalanko T, Remes V, Peltonen J, Poussa M, Helenius I. Treatment of spinal deformities in patients with diastrophic dysplasia: a long-term, population based, retrospective outcome study. *Spine (Phila Pa 1976)* 2009;34(20):2151-7.
23. Kallio-Laine K, Seppanen M, Aittoniemi J, Kautiainen H, Seppala I, Valtonen V, et al. HLA-DRB1*01 allele and low plasma IgG1 concentration may predispose to herpes-associated recurrent lymphocytic meningitis. *Hum Immunol* 2009;(Epub ahead of print).
24. Kallio-Laine K, Seppanen M, Kautiainen H, Lokki ML, Lappalainen M, Valtonen V, et al. Recurrent lymphocytic meningitis positive for herpes simplex virus type 2. *Emerg Infect Dis* 2009;15(7):1119-22.
25. Karjalainen KA, Malmivaara A, van Tulder MW, Roine R, Jauhiainen M, Hurri H, et al. Biopsychosocial rehabilitation for upper limb repetitive strain injuries in working age adults. *Cochrane Database Syst Rev* 2009(1):CD002269.

26. Karppinen J, Korhonen T, Hammond A, Bowman C, Malmivaara A, Veeger N, et al. The efficacy on inflicimab in sciatica induced by disc herniations located at L3/4 or L4/5: A small-scale randomized controlled trial. *Open Spine J* 2009(1):9-13.
27. Kautio AL, Haanpaa M, Leminen A, Kalso E, Kautiainen H, Saarto T. Amitriptyline in the Prevention of Chemotherapy-induced Neuropathic Symptoms. *Anticancer Res* 2009;29(7):2601-6.
28. Kesanen J, Asteljoki S, Pykalamaki H, Korpela SV, Montin L. The utilization of electronic patient record in pain management from the perspective of nursing management. *Stud Health Technol Inform* 2009;146:171-3.
29. Kettunen JA, Impivaara O, Kujala UM, Linna M, Maki J, Raty H, et al. Hip fractures and femoral bone mineral density in male former elite athletes. *Bone* 2009;(Epub ahead of print).
30. Korhonen K, Parkkila AK, Helen P, Valimaki R, Pastorekova S, Pastorek J, et al. Carbonic anhydrases in meningiomas: association of endothelial carbonic anhydrase II with aggressive tumor features. *J Neurosurg* 2009;111(3):472-477.
31. Korhonen PE, Syvanen KT, Vesalainen RK, Kantola IM, Kautiainen H, Jarvenpaa S, et al. Ankle-brachial index is lower in hypertensive than in normotensive individuals in a cardiovascular risk population. *J Hypertens* 2009;27(10):2036-2043.
32. Korkiakoski A, Niinimaki J, Karppinen J, Korpelainen R, Haapea M, Natri A, et al. Association of lumbar arterial stenosis with low back symptoms: a cross-sectional study using two-dimensional time-of-flight magnetic resonance angiography. *Acta Radiol* 2009;50(1):48-54.
33. Koskinen E, Paavolainen P, Eskelinen A, Harilainen A, Sandelin J, Ylinen P, et al. Medial unicompartmental knee arthroplasty with Miller-Galante II prosthesis: mid-term clinical and radiographic results. *Arch Orthop Trauma Surg* 2009;129(5):617-24.
34. Lafaurie G, Fedele S, Lopez RM, Wolff A, Strietzel F, Porter SR, et al. Biotechnological advances in neuro-electro-stimulation for the treatment of hyposalivation and xerostomia. *Med Oral Patol Oral Cir Bucal* 2009;14(2):E76-80.
35. Lahdeoja T, Pajarinen J, Kouri VP, Sillat T, Salo J, Konttinen YT. Toll-like receptors and aseptic loosening of hip endoprosthesis- a potential to respond against danger signals? *J Orthop Res* 2009;(Epub ahead of print).
36. Laisalmi-Kokki M, Pesonen E, Kokki H, Valta P, Pitkanen M, Teppo AM, et al. Potentially detrimental effects of N-acetylcysteine on renal function in knee arthroplasty. *Free Radic Res* 2009;43(7):691-696.
37. Lehto EM, Heikkila S, Kautiainen H, Kauppi MJ. The clinical picture of atlantoaxial subluxation changes when atlantoaxial impaction develops. *Joint Bone Spine* 2009;(Epub ahead of print).

38. Levon J, Myllymaa K, Kouri VP, Rautemaa R, Kinnari T, Myllymaa S, et al. Patterned macroarray plates in comparison of bacterial adhesion inhibition of tantalum, titanium, and chromium compared with diamond-like carbon. *J Biomed Mater Res A* 2009;(Epub ahead of print).
39. Lindgren K, Kettunen J, Paatelma M, Mikkonen R. Dynamic kinemagnetic resonance imaging in whiplash patients and in age- and sex-matched controls. *Pain Res Manag* 2009;14(6):427-32.
40. Lohman M, Tallroth K, Kettunen JA, Marttinen MT. Reproducibility of dual-energy x-ray absorptiometry total and regional body composition measurements using different scanning positions and definitions of regions. *Metabolism* 2009;58:1663-1668.
41. Ma GF, Miettinen S, Porola P, Hedman K, Salo J, Konttinen YT. Human parainfluenza virus type 2 (HPIV2) induced host ADAM8 expression in human salivary adenocarcinoma cell line (HSY) during cell fusion. *BMC Microbiol* 2009;9:55.
42. Mackiewicz Z, Salo J, Konttinen YT, Kaigle Holm A, Indahl A, Pajarinen J, et al. Receptor activator of nuclear factor kappa B ligand in an experimental intervertebral disc degeneration. *Clin Exp Rheumatol* 2009;27(2):299-306.
43. Mantyselka P, Lupsakko T, Kautiainen H, Vanhala M. Neck-shoulder pain and depressive symptoms: A cohort study with a 7-year follow-up. *Eur J Pain* 2009;(Epub ahead of print).
44. Mattila VM, Tallroth K, Marttinen M, Ohrankammen O, Pihlajamaki H. DEXA Body Composition Changes Among 140 Conscripts. *Int J Sports Med* 2009;30:348-353.
45. Merivirta R, Kuusniemi K, Jaakkola P, Pihlajamaki K, Pitkanen M. Unilateral spinal anaesthesia for outpatient surgery: a comparison between hyperbaric bupivacaine and bupivacaine-clonidine combination. *Acta Anaesthesiol Scand* 2009;53:788-793.
46. Montin L, Suominen T, Katajisto J, Lepisto J, Leino-Kilpi H. Economic outcomes from patients' perspective and health-related quality of life after total hip arthroplasty. *Scand J Caring Sci* 2009;23(1):11-20.
47. Myllymaa S, Kaivosoja E, Myllymaa K, Sillat T, Korhonen H, Lappalainen R, et al. Adhesion, spreading and osteogenic differentiation of mesenchymal stem cells cultured on micropatterned amorphous diamond, titanium, tantalum and chromium coatings on silicon. *J Mater Sci Mater Med* 2009;(Epub ahead of print).
48. Niinimäki J, Korkiakoski A, Ojala O, Karppinen J, Ruohonen J, Haapea M, et al. Association between visual degeneration of intervertebral discs and the apparent diffusion coefficient. *Magn Reson Imaging* 2009;27(5):641-7.
49. Noakes T, Dugas J, Dugas L, Tucker R, Oksa J, Dunn J, et al. Body temperatures during three long-distance polar swims in water of 0-3 °C. *J Therm Biol* 2009;34:23-31.
50. Pajarinen J, Mackiewicz Z, Pollanen R, Takagi M, Epstein NJ, Ma T, et al. Titanium particles modulate expression of Toll-like receptor proteins. *J Biomed Mater Res A* 2009;(Epub ahead of print).

51. Poduval P, Sillat T, Virtanen I, Porola P, Konttinen YT. Abnormal basement membrane type IV collagen alpha-chain composition in labial salivary glands in Sjogren's syndrome. *Arthritis Rheum* 2009;60(4):938-45.
52. Pollanen R, Sillat T, Pajarinen J, Levon J, Kaivosoja E, Konttinen YT. Microbial antigens mediate HLA-B27 diseases via TLRs. *J Autoimmun* 2009;32:172-177.
53. Rantalaiho V, Korpela M, Hannonen P, Kautiainen H, Jarvenpaa S, Leirisalo-Repo M, et al. The good initial response to therapy with a combination of traditional disease-modifying antirheumatic drugs is sustained over time: the eleven-year results of the Finnish rheumatoid arthritis combination therapy trial. *Arthritis Rheum* 2009;60(5):1222-31.
54. Ristolainen L, Heinonen A, Turunen H, Mannstrom H, Waller B, Kettunen JA, et al. Type of sport is related to injury profile: A study on cross country skiers, swimmers, long-distance runners and soccer players. A retrospective 12-month study. *Scand J Med Sci Sports* 2009;(Epub ahead of print).
55. Ristolainen L, Heinonen A, Waller B, Kujala UM, Kettunen JA. Gender differences in sport injury risk and types of injuries: a retrospective twelve-month study on cross-country skiers, swimmers, long-distance runners and soccer players. *J Sports Sci Med* 2009;8(3):443-451.
56. Saltevo J, Kautiainen H, Vanhala M. Gender differences in adiponectin and low-grade inflammation among individuals with normal glucose tolerance, prediabetes, and type 2 diabetes. *Gend Med* 2009;6(3):463-70.
57. Sillat T, Pollanen R, Lopes JR, Porola P, Ma G, Korhonen M, et al. Intracrine androgenic apparatus in human bone marrow stromal cells. *J Cell Mol Med* 2009;(Epub ahead of print).
58. Skytta ET, Eskelinen A, Paavolainen P, Ikavalko M, Remes V. Total elbow arthroplasty in rheumatoid arthritis. *Acta Orthop* 2009;80(4):472-477.
59. Smolander J, Leppaluoto J, Westerlund T, Oksa J, Dugue B, Mikkelsson M, et al. Effects of repeated whole-body cold exposures on serum concentrations of growth hormone, thyrotropin, prolactin and thyroid hormones in healthy women. *Cryobiol* 2009;58(3):275-8.
60. Smolander J, Sorensen L, Pekkonen M, Alen M. Muscle performance, work ability and physical functioning in middle-aged men. *Occup Med (Lond)* 2009;(Epub ahead of print).
61. Soininen A, Tiainen VM, Konttinen YT, van der Mei HC, Busscher HJ, Sharma PK. Bacterial adhesion to diamond-like carbon as compared to stainless steel. *J Biomed Mater Res B Appl Biomater* 2009;90B:882-885.
62. Sokka T, Kautiainen H, Pincus T, Toloza S, da Rocha Castelar Pinheiro G, Lazovskis J, et al. Disparities in rheumatoid arthritis disease activity according to gross domestic product in 25 countries in the QUEST-RA database. *Ann Rheum Dis* 2009;68(11):1666-72.

63. Spaan M, Porola P, Laine M, Rozman B, Azuma M, Konttinen YT. Healthy human salivary glands contain a DHEA-S processing intracrine machinery, which is deranged in primary Sjogren's syndrome. *J Cell Mol Med* 2009;13(7):1261-1270.
64. Straub RH, Pongratz G, Hirvonen H, Pohjolainen T, Mikkelsen M, Leirisalo-Repo M. Acute cold stress in rheumatoid arthritis inadequately activates stress responses and induces an increase of interleukin 6. *Ann Rheum Dis* 2009;68(4):572-8.
65. Tallroth K, Lohman M, Heliovaara M, Aromaa A, Knekt P, Standertskjold-Nordenstam CG. Dextrocardia and coronal alignment of thoracic curve: a population study. *Eur Spine J* 2009;18:1941-1945.
66. Tamaki Y, Takakubo Y, Goto K, Hirayama T, Sasaki K, Konttinen YT, et al. Increased expression of toll-like receptors in aseptic loose periprosthetic tissues and septic synovial membranes around total hip implants. *J Rheumatol* 2009;36(3):598-608.
67. Tuominen U, Sintonen H, Hirvonen J, Seitsalo S, Paavolainen P, Lehto M, et al. The effect of waiting time on health and quality of life outcomes and costs of medication in hip replacement patients: a randomized clinical trial. *Osteoarthritis Cartilage* 2009;17:1144-1150.
68. van Osch GJ, Brittberg M, Dennis JE, Bastiaansen-Jenniskens YM, Erben RG, Konttinen YT, et al. Cartilage repair: past and future. *J Cell Mol Med* 2009;13(5):793-811.
69. Vasara AI, Konttinen YT, Peterson L, Lindahl A, Kiviranta I. Persisting high levels of synovial fluid markers after cartilage repair: a pilot study. *Clin Orthop Relat Res* 2009;467(1):267-72.
70. Westerlund T, Oksa J, Smolander J, Mikkelsen M. Neuromuscular adaptation after repeated exposure to whole-body cryotherapy (-110 °C). *J Therm Biol* 2009;34:226-231.
71. Vuorimaa H, Tamm K, Honkanen V, Komulainen E, Konttinen YT, Santavirta N. Parents and children as agents of disease management in JIA. *Child: care, health develop* 2009;35(4):578-585.
72. Zhao DS, Ma GF, Selenius M, Salo J, Pikkarainen T, Konttinen YT. Ectopic expression of macrophage scavenger receptor MARCO in synovial membrane-like interface tissue in aseptic loosening of total hip replacement implants. *J Biomed Mater Res A* 2009;(Epub ahead of print).

Artikkelit kotimaisissa julkaisuissa

Duodecim

1. Hietaharju A, Pettersson T, Nordström D, Kähärä V, Leivo I, Hernesniemi J, Kontinen YT. Keskushermostovaskuliitit. *Duodecim* 2009;125:27-37.
2. Suomalainen Lääkäriseura Duodecim ja Suomen Akatemia. Äkillisten aivovaurioiden jälkeinen kuntoutus. Konsensuslausuma. *Duodecim* 2009;125:101-114.
3. Vastamäki M, Lindgren KA, Koho P. Kollegan pirullisen ankara kainalo-lapakipu. *Duodecim* 2009;125:2107-2109.
4. Vastamäki M. Erikoislääkärin uutiset. Käsikirurgia. *Duodecim* 2009;125:734.

Suomen Lääkärilehti

1. Gockel M, Forss N. Keskushermoston muovautuvuus monimuotoisessa paikallisessa kipuoireyhtymässä (CRPS). *Suomen Lääkärilehti* 2009;64:3423-3427.
2. Hiltunen-Back E, Ruutu P, Kautiainen H, Ådahl H, Savolainen R, Paavonen J, Reunala J. Sukupuolitautilien anturiverkosto 1995-2006: Toistuvat sukupuolitauditartunnat ovat yleisiä. *Suomen Lääkärilehti* 2009, 67:2999-3004.
3. Paavola M, Haanpää M, Kärkkäinen M, Pälvimäki EP, Blom M, Malmivaara A. Selkäydinstimulaatio vaikean neuropaattisen kivun ja monimuotoisen paikallisen kipuoireyhtymän hoidossa. *Suomen Lääkärilehti* 2009;64:1243-1251
4. Palmu S, Paukku R, Mäyränpää M, Peltonen J, Nietosvaara Y. Väärä diagnoosi yleisin potilasvahingon syy. Lasten sääriluut tarkastelussa. *Suomen Lääkärilehti* 2009;64:3937-3942.
5. Vastamäki M. Mitä lapaluun asento kertoo tutkivalle lääkärille? *Suomen Lääkärilehti* 2009;64:4457-4463.
6. Vastamäki H, Vastamäki M. Yleisimpien hermopinteiden nykyiset leikkausaiheet. *Suomen Lääkärilehti* 2009;64:2565-2572.

Väitös kirjat:

1. Ainola M. Pannus invasion into cartilage and bone in rheumatoid arthritis. tutkimus ORTONin julkaisusarja. 2009;A:27.

2. Ma G. ADAMs, osteoclastogenesis and bone destruction in the loosening of the totally replaced hip. Tieteellinen tutkimus ORTONin julkaisusarja. 2009;A:26.

3. Westerlund T. Thermal, circulatory, and neuromuscular responses to whole-body cryotherapy. Acta Universitatis Ouluensis. D Medica 1006. Oulu 2009.